


IN THE CLAIMS:

Please amend the claims as follows:

Claim 1 (**original**): A compound of the Formula I



wherein

Q_a is phenyl or heteroaryl, and Q_a may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, trifluoromethyl, cyano, amino, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (1-6C)alkoxy, (1-6C)alkylamino, di-[(1-6C)alkyl]amino and (1-6C)alkoxycarbonyl;

R₁ and R₂ are each independently selected from hydrogen, (1-6C)alkyl, (2-6C)alkenyl and (2-6C)alkynyl; and

Q_b is phenyl, heteroaryl or heterocyclyl, and Q_b may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (3-6C)cycloalkyl, (3-6C)cycloalkyl-(1-6C)alkyl, (1-6C)alkoxy, (3-6C)cycloalkoxy, (3-6C)cycloalkyl-(1-6C)alkoxy, carboxy, (1-6C)alkoxycarbonyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, (2-6C)alkanoyl, amino, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, halogeno-(1-6C)alkyl, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, cyano-(1-6C)alkyl, amino-(1-6C)alkyl, (1-6C)alkylamino-(1-6C)alkyl, di-[(1-6C)alkyl]amino-(1-6C)alkyl, (1-6C)alkylthio, (1-6C)alkylsulphanyl, (1-6C)alkylsulphonyl, aminosulphonyl, N-(1-6C)alkylsulphamoyl, N,N-di-[(1-6C)alkyl]sulphamoyl and (3-6C)cycloalkylsulphonyl;

and wherein any of the substituents on Q_a or Q_b defined hereinbefore which comprise a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from

hydroxy, cyano, amino, (1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylamino and di-[(1-6C)alkyl]amino;
or a pharmaceutically-acceptable salt thereof.

Claim 2 (original): A compound of the Formula I according to Claim 1 wherein
Q_a is phenyl, pyridyl, pyrimidinyl, pyrazinyl or pyridazinyl, and Q_a may optionally bear 1 or 2 substituents selected from halogeno, (1-6C)alkyl and (1-6C)alkoxy;
R₁ and R₂ are each independently selected from hydrogen, (1-6C)alkyl, (2-6C)alkenyl and (2-6C)alkynyl; and
Q_b is phenyl, heteroaryl or heterocyclyl, and Q_b may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (3-6C)cycloalkyl, (3-6C)cycloalkyl-(1-6C)alkyl, (1-6C)alkoxy, (3-6C)cycloalkoxy, (3-6C)cycloalkyl-(1-6C)alkoxy, carboxy, (1-6C)alkoxycarbonyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, (2-6C)alkanoyl, amino, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, halogeno-(1-6C)alkyl, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, cyano-(1-6C)alkyl, amino-(1-6C)alkyl, (1-6C)alkylamino-(1-6C)alkyl, di-[(1-6C)alkyl]amino-(1-6C)alkyl, (1-6C)alkylthio, (1-6C)alkylsulphinyl, (1-6C)alkylsulphonyl, aminosulphonyl, N-(1-6C)alkylsulphamoyl, N,N-di-[(1-6C)alkyl]sulphamoyl and (3-6C)cycloalkylsulphonyl;
and wherein any of the substituents on Q_a or Q_b defined hereinbefore which comprise a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from hydroxy, cyano, amino, (1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylamino and di-[(1-6C)alkyl]amino;
or a pharmaceutically-acceptable salt thereof.

Claim 3 (original): A compound of the Formula I according to Claim 1 or Claim 2 wherein
Q_a is phenyl, pyridyl, pyrimidinyl, pyrazinyl or pyridazinyl, and Q_a may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl and (1-6C)alkoxy;
or a pharmaceutically-acceptable salt thereof.

Claim 4 (**original**): A compound of the Formula I according to Claim 1 or Claim 2 wherein

Q_b is phenyl or heteroaryl, and Q_b may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (3-6C)cycloalkyl, (3-6C)cycloalkyl-(1-6C)alkyl, (1-6C)alkoxy, (3-6C)cycloalkoxy, (3-6C)cycloalkyl-(1-6C)alkoxy, carboxy, (1-6C)alkoxycarbonyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, (2-6C)alkanoyl, amino, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, halogeno-(1-6C)alkyl, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, cyano-(1-6C)alkyl, amino-(1-6C)alkyl, (1-6C)alkylamino-(1-6C)alkyl, di-[(1-6C)alkyl]amino-(1-6C)alkyl, (1-6C)alkylthio, (1-6C)alkylsulphinyl, (1-6C)alkylsulphonyl, aminosulphonyl, N-(1-6C)alkylsulphamoyl, N,N-di-[(1-6C)alkyl]sulphamoyl and (3-6C)cycloalkylsulphonyl;

and wherein any of the substituents on Q_b which comprise a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from hydroxy, cyano, amino, (1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylamino and di-[(1-6C)alkyl]amino; or a pharmaceutically-acceptable salt thereof.

Claim 5 (**original**): A compound of the Formula I according to Claim 1 or Claim 2 wherein

Q_b is phenyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, thiazolyl, thiadiazolyl, imidazolyl, isoxazolyl, oxazolyl, furanyl, thienyl, benzimidazolyl, isoquinolinyl, quinolinyl, benzothiazolyl or pyrido[1,2-a]imidazolyl, and Q_b may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (3-6C)cycloalkyl, (3-6C)cycloalkyl-(1-6C)alkyl, (1-6C)alkoxy, (3-6C)cycloalkoxy, (3-6C)cycloalkyl-(1-6C)alkoxy, carboxy, (1-6C)alkoxycarbonyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, (2-6C)alkanoyl, amino, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, halogeno-(1-6C)alkyl, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, cyano-(1-6C)alkyl, amino-(1-6C)alkyl, (1-6C)alkylamino-(1-6C)alkyl, di-[(1-6C)alkyl]amino-(1-6C)alkyl, (1-6C)alkylthio,

(1-6C)alkylsulphinyl, (1-6C)alkylsulphonyl, aminosulphonyl, N-(1-6C)alkylsulphamoyl, N,N-di-[(1-6C)alkyl]sulphamoyl and (3-6C)cycloalkylsulphonyl;
and wherein any of the substituents on Q_b which comprise a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from hydroxy, cyano, amino, (1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylamino and di-[(1-6C)alkyl]amino;
or a pharmaceutically-acceptable salt thereof.

Claim 6 (original): A compound of the Formula I according to Claim 1 or Claim 2 wherein

R₁ and R₂ are each independently selected from hydrogen, (1-6C)alkyl, (2-6C)alkenyl and (2-6C)alkynyl;
or a pharmaceutically-acceptable salt thereof.

Claim 7 (original): A compound of the Formula I according to Claim 1 or Claim 2 wherein R₁ and R₂ are each independently selected from hydrogen and (1-6C)alkyl; or a pharmaceutically-acceptable salt thereof.

Claim 8 (original): A compound of the Formula I according to Claim 1 wherein
Q_a is phenyl, pyridyl, pyrimidinyl, pyrazinyl or pyridazinyl, and Q_a may optionally bear 1 or 2 substituents selected from halogeno, (1-6C)alkyl and (1-6C)alkoxy;
R₁ and R₂ are each independently selected from hydrogen and (1-6C)alkyl; and
Q_b is phenyl, pyridyl, pyrimidinyl, pyrazinyl, pyridazinyl, thiazolyl, thiadiazolyl, imidazolyl, isoxazolyl, oxazolyl, furanyl, thienyl, benzimidazolyl, isoquinolinyl, quinolinyl, benzothiazolyl or pyrido[1,2-a]imidazolyl, and Q_b may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (3-6C)cycloalkyl, (3-6C)cycloalkyl-(1-6C)alkyl, (1-6C)alkoxy, (3-6C)cycloalkoxy, (3-6C)cycloalkyl-(1-6C)alkoxy, carboxy, (1-6C)alkoxycarbonyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, (2-6C)alkanoyl, amino, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, halogeno-(1-6C)alkyl, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-

(1-6C)alkyl, cyano-(1-6C)alkyl, amino-(1-6C)alkyl, (1-6C)alkylamino-(1-6C)alkyl, di-[(1-6C)alkyl]amino-(1-6C)alkyl, (1-6C)alkylthio, (1-6C)alkylsulphinyl, (1-6C)alkylsulphonyl, aminosulphonyl, N-(1-6C)alkylsulphamoyl, N,N-di-[(1-6C)alkyl]sulphamoyl and (3-6C)cycloalkylsulphonyl; and wherein any of the substituents on Q_b which comprise a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from hydroxy, cyano, amino, (1-6C)alkyl, (1-6C)alkoxy, (1-6C)alkylamino and di-[(1-6C)alkyl]amino; or a pharmaceutically-acceptable salt thereof.

Claim 9 (**currently amended**): A compound of the Formula I according to Claim 1 or Claim 2 selected from:-

3-{[4-(benzyloxy)benzoyl]amino}-N-cyclopropyl-4-methylbenzamide;
 3-{[3-(benzyloxy)benzoyl]amino}-N-cyclopropyl-4-methylbenzamide;
 4-(benzyloxy)-N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-3-methylbenzamide;
 4-(benzyloxy)-3-fluoro-N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}benzamide;
 4-(benzyloxy)-3-chloro-N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}benzamide;
N-cyclopropyl-4-methyl-3-{[4-(pyridin-2-ylmethoxy)benzoyl]amino}benzamide;
N-cyclopropyl-4-methyl-3-{[4-(1,3-thiazol-4-ylmethoxy)benzoyl]amino}benzamide;
N-cyclopropyl-4-methyl-3-{[4-(pyridin-3-ylmethoxy)benzoyl]amino}benzamide;
N-cyclopropyl-4-methyl-3-{[4-[(5-methylisoxazol-3-yl)methoxy]benzoyl]amino}benzamide;
 3-{[4-[(5-chloro-1,2,3-thiadiazol-4-yl)methoxy]benzoyl]amino}-N-cyclopropyl-4-methylbenzamide;
N-cyclopropyl-3-{[4-(imidazo[1,2-a]pyridin-2-ylmethoxy)benzoyl]amino}-4-methylbenzamide;
N-cyclopropyl-4-methyl-3-{[4-[(2-methyl-1,3-thiazol-4-yl)methoxy]benzoyl]amino}benzamide;
N-cyclopropyl-3-{[4-[(3,5-dimethylisoxazol-4-yl)methoxy]benzoyl]amino}-4-methylbenzamide;
N-cyclopropyl-4-methyl-3-{[4-(1,2,5-thiadiazol-3-ylmethoxy)benzoyl]amino}benzamide;
 methyl 5-{[4-[(5-[(cyclopropylamino)carbonyl]-2-methylphenyl)amino]carbonyl]phenoxy}-methyl-2-furoate;
 3-{[4-[(2-chloro-1,3-thiazol-5-yl)methoxy]benzoyl]amino}-N-cyclopropyl-4-methylbenzamide;
 4-(benzyloxy)-N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-3-methoxybenzamide;

N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-3-methoxy-4-(pyridin-2-ylmethoxy) benzamide;

N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-3-methoxy-4-(1,3-thiazol-4-ylmethoxy) benzamide;

N-cyclopropyl-4-methyl-3-{[3-methyl-4-(pyridin-2-ylmethoxy)benzoyl]amino} benzamide;

N-cyclopropyl-4-methyl-3-{[3-methyl-4-(1,3-thiazol-4-ylmethoxy)benzoyl]amino} benzamide;

N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-3-fluoro-4-(pyridin-2-ylmethoxy) benzamide;

N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-3-fluoro-4-[(2-methyl-1,3-thiazol-4-yl) methoxy]benzamide;

N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-4-[(3,5-dimethylisoxazol-4-yl) methoxy]-3-fluorobenzamide;

N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-3-fluoro-4-(1,2,5-thiadiazol-3-ylmethoxy) benzamide;

N-cyclopropyl-4-methyl-3-{[3-(1,3-thiazol-4-ylmethoxy)benzoyl]amino} benzamide;

N-cyclopropyl-4-methyl-3-({3-[(2-methyl-1,3-thiazol-4-yl) methoxy]benzoyl} amino)benzamide;

N-cyclopropyl-4-methyl-3-{[3-(pyridin-2-ylmethoxy)benzoyl]amino} benzamide;

N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-3-fluoro-4-(1,3-thiazol-4-ylmethoxy) benzamide;

N-cyclopropyl-4-methyl-3-({3-methyl-4-[(2-methyl-1,3-thiazol-4-yl) methoxy]benzoyl} amino) benzamide;

N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-4-[(3,5-dimethylisoxazol-4-yl) methoxy]-3-methylbenzamide;

N-cyclopropyl-4-methyl-3-{[3-methyl-4-(1,2,5-thiadiazol-3-ylmethoxy)benzoyl]amino} benzamide;

methyl 5-({4-[({5-[(cyclopropylamino)carbonyl]-2-methylphenyl} amino)carbonyl]-2-methylphenoxy} methyl)-2-furoate;

3-chloro-N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-4-(pyridin-2-ylmethoxy) benzamide;

3-chloro-N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-4-(1,3-thiazol-4-ylmethoxy) benzamide;


N-cyclopropyl-3-({3-[(3,5-dimethylisoxazol-4-yl)methoxy]benzoyl} amino)-4-methylbenzamide;
 N-cyclopropyl-4-methyl-3-{{3-[(1,2,5-thiadiazol-3-yl)methoxy]benzoyl} amino} benzamide;
 3-({3-[(2-chloro-1,3-thiazol-5-yl)methoxy]benzoyl} amino)-N-cyclopropyl-4-methylbenzamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-3-fluoro-4-(imidazo[1,2-a]
 pyridin-2-yl)methoxy} benzamide;
 N-cyclopropyl-3-({4-[(4-methoxypyridin-2-yl)methoxy]benzoyl} amino)-4-methylbenzamide;
 N-cyclopropyl-4-methyl-3-{{4-[(1-pyridin-2-ylethoxy)benzoyl] amino} benzamide;
 N-cyclopropyl-3-({3-[(4-methoxypyridin-2-yl)methoxy]benzoyl} amino)-4-methylbenzamide;
 N-cyclopropyl-3-[(4-{{5-(hydroxymethyl)pyridin-2-yl}methoxy} benzoyl) amino]-4-
 methylbenzamide;
 N-cyclopropyl-3-[(4-{{5-(1-hydroxy-1-methylethyl)pyridin-2-yl}methoxy} benzoyl) amino]-4-
 methylbenzamide;
 N-cyclopropyl-3-{{4-({5-[(isopropylamino)methyl]pyridin-2-yl}methoxy)benzoyl} amino}-4-
 methylbenzamide;
 N-cyclopropyl-3-{{4-({5-[(dimethylamino)methyl]pyridin-2-yl}methoxy)benzoyl} amino}-4-
 methylbenzamide;
 methyl 6-({4-[(5-[(cyclopropylamino)carbonyl]-2-methylphenyl} amino)carbonyl]
 phenoxy}methyl) nicotinate;
 N-cyclopropyl-3-{{4-({5-[2-(dimethylamino)ethoxy]pyridin-2-yl}methoxy)benzoyl} amino}-4-
 methylbenzamide;
 N-cyclopropyl-3-[(4-{{5-(1,3-dioxolan-2-yl)methoxy}pyridin-2-yl}methoxy} benzoyl) amino]-4-
 methylbenzamide;
 N-cyclopropyl-3-({4-[(5-hydroxypyridin-2-yl)methoxy]benzoyl} amino)-4-methylbenzamide;
 methyl 6-({4-[(5-[(cyclopropylamino)carbonyl]-2-methylphenyl} amino)carbonyl]phenoxy}
 methyl) pyridine-2-carboxylate;
 N-cyclopropyl-3-[(4-{{6-(hydroxymethyl)pyridin-2-yl}methoxy} benzoyl) amino]-4-
 methylbenzamide;
 N-cyclopropyl-3-[(4-{{6-(1-hydroxy-1-methylethyl)pyridin-2-yl}methoxy} benzoyl) amino]-4-
 methylbenzamide;
 N-cyclopropyl-3-({4-[(6-{{2-(diethylamino)ethoxy}methyl}pyridin-2-yl)methoxy]benzoyl}
 amino)-4-methylbenzamide;

N-cyclopropyl-3-({4-[(6-{[2-(dimethylamino)ethoxy]methyl}pyridin-2-yl)methoxy]benzoyl}
 amino)-4-methylbenzamide;
 N-cyclopropyl-4-methyl-3-({4-[(1-oxidopyridin-2-yl)methoxy]benzoyl} amino)benzamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-(imidazo[1,2-a]pyridin-2-ylmethoxy)
 pyrimidine-5-carboxamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-(1,3-thiazol-2-ylmethoxy)pyrimidine-5-
 carboxamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-(pyrimidin-2-ylmethoxy)pyrimidine-5-
 carboxamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-[(1-methyl-1H-imidazol-2-yl)methoxy]
 pyrimidine-5-carboxamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-[(1,5-dimethyl-1H-pyrazol-3-yl)
 methoxy] pyrimidine-5-carboxamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-[(1,3-dimethyl-1H-pyrazol-5-yl)
 methoxy]pyrimidine-5-carboxamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-[(3-methylpyridin-2-yl)methoxy]
 pyrimidine-5-carboxamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-[(1-methyl-1H-benzimidazol-2-yl)
 methoxy] pyrimidine-5-carboxamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-(isoquinolin-1-ylmethoxy)pyrimidine-
 5-carboxamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-(quinolin-2-ylmethoxy)pyrimidine-
 5-carboxamide;
 2-(1,3-benzothiazol-2-ylmethoxy)-N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}pyrimid
 ine-5-carboxamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-(1-pyridin-2-ylethoxy)pyrimidine-5-
 carboxamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-(1,3-thiazol-4-ylmethoxy)pyrimidine-5-
 carboxamide;
 N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-2-(pyridin-2-ylmethoxy)pyrimidine-5-
 carboxamide;


N-cyclopropyl-3-({4-[(5-cyclopropyl-1,3,4-thiadiazol-2-yl)methoxy]benzoyl} amino)-4-methylbenzamide;
N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-6-(pyridin-2-ylmethoxy)nicotinamide;
N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-5-(pyridin-2-ylmethoxy)pyrazine-2-carboxamide;
3-({4-[(6-bromopyridin-2-yl)methoxy]benzoyl} amino)-N-cyclopropyl-4-methylbenzamide;
N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-3,5-difluoro-4-(pyridin-2-ylmethoxy)benzamide;
N-cyclopropyl-4-methyl-3-({4-[(6-methylpyridin-2-yl)methoxy]benzoyl} amino)benzamide;
N-cyclopropyl-4-methyl-3-({4-[(3-methylpyridin-2-yl)methoxy]benzoyl} amino)benzamide;
N-cyclopropyl-4-methyl-3-{[4-(pyrimidin-2-ylmethoxy)benzoyl]amino}benzamide;
N-cyclopropyl-4-methyl-3-{[4-(pyridazin-3-ylmethoxy)benzoyl]amino}benzamide;
N-cyclopropyl-3-{[4-({6-[(2-methoxyethyl)amino]pyridin-2-yl} methoxy)benzoyl]amino}-4-methylbenzamide;
N-cyclopropyl-3-({4-[(6-{[2-(dimethylamino)ethyl]amino}pyridin-2-yl)methoxy]benzoyl} amino)-4-methylbenzamide;
5-(benzyloxy)-N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}pyridine-2-carboxamide;
N-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-5-(pyridin-2-ylmethoxy)pyridine-2-carboxamide; and
N-cyclopropyl-4-methyl-3-([4-{[4-(methylsulfonyl)benzyl]oxy} benzoyl]amino)benzamide;
or a pharmaceutically-acceptable salt thereof.

Claim 10 (**currently amended**): A process for preparing a compound of the Formula I according to claim 1, or pharmaceutically-acceptable salt thereof which comprises:-

(a) reacting a benzoic acid of the Formula II, or a activated derivative thereof,




with an amine of the Formula III



III


under standard amide bond forming conditions, wherein Q_a , Q_b , R_1 and R_2 are as defined in Claim 1 or Claim 2 and wherein any functional group is optionally protected, and:

- (i) removing any protecting groups; and
 - (ii) optionally forming a pharmaceutically-acceptable salt;
- (b) reacting an acid of the Formula IV, or an activated derivative thereof,



IV

with an aniline of the Formula VI



VI

under standard amide bond forming, wherein Q_a , Q_b , R_1 and R_2 are as defined in Claim 1 or Claim 2 and wherein any functional group is optionally protected, and:

- (i) removing any protecting groups;
 - (ii) optionally forming a pharmaceutically-acceptable salt;
- (c) for the preparation of a compound of the Formula I wherein a substituent on Q_a or Q_b is (1-6C)alkoxy or substituted (1-6C)alkoxy, (1-6C)alkylamino, di-[(1-6C)alkyl]amino or substituted (1-6C)alkylamino, the alkylation of an amide derivative of the Formula I wherein a substituent on Q_a or Q_b is hydroxy or amino.

Claim 11 (**currently amended**): A pharmaceutical composition ~~for use in the treatment of diseases mediated by cytokines~~ which comprises a compound of the Formula I as claimed in any one of claims 1, 2 and to 9, or a pharmaceutically-acceptable salt thereof, in association with a pharmaceutically-acceptable diluent or carrier.

Claims 12-15 (**cancelled**).

Claim 16 (**new**): A method for the treatment of rheumatoid arthritis, asthma, chronic obstructive pulmonary disease, inflammatory bowel disease, multiple sclerosis, AIDS, septic shock, congestive heart failure, ischaemic heart disease or psoriasis in a warm-blooded animal in need thereof comprising administering to said animal an effective amount of a compound of the Formula I as claimed in any one of claims 1, 2 and 9, or a pharmaceutically-acceptable salt thereof.